



REV	DESCRIPTION	DATE	BY
A	INITIAL RELEASE	9/30/01	TW
B	REVISED VOLTAGE TABLE	6/8/04	JF
C	REVISED TO DOUBLE ONLY	11/10/04	TW
D	REVISED AMPS		



**FRONT SECTION**



**END SECTION**

MODEL	UNIT WIDTH "A"	QTY FANS	CFM TOTAL	DISC. VEL. (FPM)	MOTOR(S)			HEATER(S)			REMARKS			
					#	HP	V	AMPS/EA	#	TOTAL KW		V	PH/TOT. AMPS	PH/TOT. AMPS
ACS-66-H	5'-6"	2	1600	1600	2	0.25	110	4.1 HIGH / 2.5 LOW	2	7.2	480	1/15	3/7	HEATED UNIT
ACS-78-H	6'-6"	2	1600	1600	2	0.25	110	4.1 HIGH / 2.5 LOW	2	8.6	480	1/18	3/9	HEATED UNIT
ACS-90-H	7'-6"	2	1600	1600	2	0.25	110	4.1 HIGH / 2.5 LOW	2	10.0	480	1/20	3/10	HEATED UNIT
ACS-66-NH	5'-6"	2	1600	1600	2	0.25	110	4.1 HIGH / 2.5 LOW	NA	NA	NA	NA	NA	NO HEAT
ACS-78-NH	6'-6"	2	1600	1600	2	0.25	110	4.1 HIGH / 2.5 LOW	NA	NA	NA	NA	NA	NO HEAT
ACS-90-NH	7'-6"	2	1600	1600	2	0.25	110	4.1 HIGH / 2.5 LOW	NA	NA	NA	NA	NA	NO HEAT

**DAW TECHNOLOGIES, INC.**  
 Contract Manufacturing Division  
 2700 South 900 West Salt Lake City, Utah 84119-2418

ENVIRONMENTAL LOW VELOCITY  
 AIR CURTAIN MODEL ACS - DOUBLE

DRAWN BY	DATE	SCALE	REVISION
TW	11/9/00	N.T.S.	
CHECKED BY	DATE	SIZE	
B			

**ACS-DBL**

REV. **D**